EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	22	((messag\$4 NEAR3 (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND (packet\$9 NEAR3 (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND segment\$9).CLM.	US- PGPUB; USPAT	OR	ON	2010/05/21 15:09
L6	39	((messag\$4 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND (packet\$9 NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft))). CLM.	US- PGPUB; USPAT	OR	ON	2010/05/21 15:13
L12	30	(((ieee NEAR2 isto) OR (nexus NEAR2 "5001"))) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 15:22
L13	20	((messag\$4 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND ((frame OR (data ADJ2 unit) OR pdu) NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))). CLM.	US- PGPUB; USPAT	OR	ON	2010/05/21 15:31
L15	29	((packet NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND ((frame OR (data ADJ2 unit) OR pdu) NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft))). CLM.	US- PGPUB; USPAT	OR	ON	2010/05/21 15:38
L17	0	("370"/\$.CCLS.) AND (((ieee NEAR2 isto) OR (nexus NEAR2 "5001"))) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 16:18

L18	193	("370"/\$.CCLS.) AND ((messag\$4 NEAR3 (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) SAME3 (packet\$9 NEAR3 (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND segment\$9) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 16:20
L21	28	("370"/\$.CCLS.) AND (((messag\$4 NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) SAME3 (packet\$9 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))) AND segment\$9) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 16:23
L22		("370"/\$.CCLS.) AND (((messag\$4 NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) SAME3 ((frame OR (data ADJ2 unit) OR pdu) NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))) AND segment\$9) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 16:30
L24	3	("714"/\$.CCLS.) AND (((messag\$4 NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) SAME3 (packet\$9 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))) AND segment\$9) AND @ad<"20021015"	US- PGPUB; USPAT	OR		2010/05/21 16:32
L25	3	("714"/\$.CCLS.) AND (((messag\$4 NEAR (end \$4 OR tail\$4 OR edge OR hind OR rear OR aft)) SAME3 ((frame OR (data ADJ2 unit) OR pdu) NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))) AND segment\$9) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2010/05/21 16:33

L26	49	 US- PGPUB; USPAT	OR	ON	2010/05/21 16:35
L27	111	US- PGPUB; USPAT	OR	ON	2010/05/21 16:36

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	12	((messag\$4 NEAR3 (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND (packet\$9 NEAR3 (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND segment\$9). CLM.	USPAT; UPAD	OR	ON	2010/05/21 15:18
L9	22	((messag\$4 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND (packet\$9 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))).CLM.	USPAT; UPAD	OR	ON	2010/05/21 15:18

L14	12	((messag\$4 NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND ((frame OR (data ADJ2 unit) OR pdu) NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))).CLM.	USPAT; UPAD	OR	ON	2010/05/21 15:38
L16	18	((packet NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft)) AND ((frame OR (data ADJ2 unit) OR pdu) NEAR (end\$4 OR tail\$4 OR edge OR hind OR rear OR aft))).CLM.	USPAT; UPAD	OR	ON	2010/05/21 15:49

5/21/2010 6:25:34 PM C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces \ ap10_531_249_2nd_RCE.wsp